

```
1 # Logical operators
2
3 from cs50 import get_string
4
5 # Prompt user to agree
6 s = get_string("Do you agree?\n")
7
8 # Check whether agreed
9 if s == "Y" or s == "y":
10     print("Agreed.")
11 elif s == "N" or s == "n":
12     print("Not agreed.")
```

```
1 # Logical operators, using lists
2
3 from cs50 import get_string
4
5 # Prompt user to agree
6 s = get_string("Do you agree?\n")
7
8 # Check whether agreed
9 if s.lower() in ["y", "yes"]:
10     print("Agreed.")
11 elif s.lower() in ["n", "no"]:
12     print("Not agreed.")
```

```
1 # Logical operators, using regular expressions
2
3 import re
4 from cs50 import get_string
5
6 # Prompt user to agree
7 s = get_string("Do you agree?\n")
8
9 # Check whether agreed
10 if re.search("^y(es)?$", s, re.IGNORECASE):
11     print("Agreed.")
12 elif re.search("^no?$", s, re.IGNORECASE):
13     print("Not agreed.")
```

```
1 // Logical operators
2
3 #include <cs50.h>
4 #include <stdio.h>
5
6 int main(void)
7 {
8     // Prompt user to agree
9     char c = get_char("Do you agree?\n");
10
11    // Check whether agreed
12    if (c == 'Y' || c == 'y')
13    {
14        printf("Agreed.\n");
15    }
16    else if (c == 'N' || c == 'n')
17    {
18        printf("Not agreed.\n");
19    }
20 }
```

```
1 // Conditions and relational operators
2
3 #include <cs50.h>
4 #include <stdio.h>
5
6 int main(void)
7 {
8     // Prompt user for x
9     int x = get_int("x: ");
10
11    // Prompt user for y
12    int y = get_int("y: ");
13
14    // Compare x and y
15    if (x < y)
16    {
17        printf("x is less than y\n");
18    }
19    else if (x > y)
20    {
21        printf("x is greater than y\n");
22    }
23    else
24    {
25        printf("x is equal to y\n");
26    }
27 }
```

```
1 # Conditions and relational operators
2
3 from cs50 import get_int
4
5 # Prompt user for x
6 x = get_int("x: ")
7
8 # Prompt user for y
9 y = get_int("y: ")
10
11 # Compare x and y
12 if x < y:
13     print("x is less than y")
14 elif x > y:
15     print("x is greater than y")
16 else:
17     print("x is equal to y")
```

```
1 // Opportunity for better design
2
3 #include <stdio.h>
4
5 int main(void)
6 {
7     printf("cough\n");
8     printf("cough\n");
9     printf("cough\n");
10 }
```

```
1 # Opportunity for better design
2
3 print("cough")
4 print("cough")
5 print("cough")
```

```
1 // Better design
2
3 #include <stdio.h>
4
5 int main(void)
6 {
7     for (int i = 0; i < 3; i++)
8     {
9         printf("cough\n");
10    }
11 }
```

```
1 # Better design
2
3 for i in range(3):
4     print("cough")
```

```
1 // Abstraction
2
3 #include <stdio.h>
4
5 void cough(void);
6
7 int main(void)
8 {
9     for (int i = 0; i < 3; i++)
10    {
11        cough();
12    }
13 }
14
15 // Cough once
16 void cough(void)
17 {
18     printf("cough\n");
19 }
```

```
1 # Abstraction
2
3
4 def main():
5     for i in range(3):
6         cough()
7
8
9 # Cough once
10 def cough():
11     print("cough")
12
13
14 main()
```

```
1 // Abstraction with parameterization
2
3 #include <stdio.h>
4
5 void cough(int n);
6
7 int main(void)
8 {
9     cough(3);
10 }
11
12 // Cough some number of times
13 void cough(int n)
14 {
15     for (int i = 0; i < n; i++)
16     {
17         printf("cough\n");
18     }
19 }
```

```
1 # Abstraction with parameterization
2
3
4 def main():
5     cough(3)
6
7
8 # Cough some number of times
9 def cough(n):
10    for i in range(n):
11        print("cough")
12
13
14 main()
```

```
1 // A program that says hello to the world
2
3 #include <stdio.h>
4
5 int main(void)
6 {
7     printf("hello, world\n");
8 }
```

```
1 # A program that says hello to the world
2
3 print("hello, world")
```

```
1 # get_int and print
2
3 from cs50 import get_int
4
5 age = get_int("What's your age?\n")
6 print(f"You are at least {age * 365} days old.")
```

```
1 # input, int, and print
2
3 age = int(input("What's your age?\n"))
4 print(f"You are at least {age * 365} days old.")
```

```
1 // get_int and printf with %i
2
3 #include <cs50.h>
4 #include <stdio.h>
5
6 int main(void)
7 {
8     int age = get_int("What's your age?\n");
9     printf("You are at least %i days old.\n", age * 365);
10 }
```

```
1 # Prints a row of 4 question marks with a loop
2
3 for i in range(4):
4     print("?", end="")
5 print()
```

```
1 # Prints a row of 4 question marks without a loop
2
3 print("?" * 4)
```

```
1 # Prints a column of 3 bricks with a loop
2
3 for i in range(3):
4     print("#")
```

```
1 # Prints a column of 3 bricks without a loop
2
3 print("#\n" * 3, end="")
```

```
1 # Prints a 3-by-3 grid of bricks with loops
2
3 for i in range(3):
4     for j in range(3):
5         print("#", end="")
6     print()
```

```
1 // Integer overflow
2
3 #include <stdio.h>
4 #include <unistd.h>
5
6 int main(void)
7 {
8     // Iteratively double i
9     for (int i = 1; ; i *= 2)
10    {
11        printf("%i\n", i);
12        sleep(1);
13    }
14 }
```

```
1 # Integer non-overflow
2
3 from time import sleep
4
5 # Iteratively double i
6 i = 1
7 while True:
8     print(i)
9     sleep(1)
10    i *= 2
```

```
1 // Abstraction and scope
2
3 #include <cs50.h>
4 #include <stdio.h>
5
6 int get_positive_int(void);
7
8 int main(void)
9 {
10     int i = get_positive_int();
11     printf("%i\n", i);
12 }
13
14 // Prompt user for positive integer
15 int get_positive_int(void)
16 {
17     int n;
18     do
19     {
20         n = get_int("Positive Integer: ");
21     }
22     while (n < 1);
23     return n;
24 }
```

```
1 # Abstraction and scope
2
3 from cs50 import get_int
4
5
6 def main():
7     i = get_positive_int()
8     print(i)
9
10
11 # Prompt user for positive integer
12 def get_positive_int():
13     while True:
14         n = get_int("Positive Integer: ")
15         if n > 0:
16             break
17     return n
18
19
20 main()
```

```
1 # get_string and print, with concatenation
2
3 from cs50 import get_string
4
5 s = get_string("What's your name?\n")
6 print("hello, " + s)
```

```
1 # get_string and print, with multiple arguments
2
3 from cs50 import get_string
4
5 s = get_string("What's your name?\n")
6 print("hello, " , s)
```

```
1 # get_string and print, with format strings
2
3 from cs50 import get_string
4
5 s = get_string("What's your name?\n")
6 print(f"hello, {s}")
```

```
1 # input and print, with format strings
2
3 s = input("What's your name?\n")
4 print(f"hello, {s}")
```

```
1 // get_string and printf with %s
2
3 #include <cs50.h>
4 #include <stdio.h>
5
6 int main(void)
7 {
8     string s = get_string("What's your name?\n");
9     printf("hello, %s\n", s);
10 }
```

```
1 # Printing command-line arguments, indexing into argv
2
3 from sys import argv
4
5 for i in range(len(argv)):
6     print(argv[i])
```

```
1 // Printing command-line arguments
2
3 #include <cs50.h>
4 #include <stdio.h>
5
6 int main(int argc, string argv[])
7 {
8     for (int i = 0; i < argc; i++)
9     {
10         printf("%s\n", argv[i]);
11     }
12 }
```

```
1 # Printing command-line arguments
2
3 from sys import argv
4
5 for arg in argv:
6     print(arg)
```

```
1 # Exits with explicit value, importing argv and exit
2
3 from sys import argv, exit
4
5 if len(argv) != 2:
6     print("missing command-line argument")
7     exit(1)
8 print(f"hello, {argv[1]}")
9 exit(0)
```

```
1 # Exits with explicit value, importing sys
2
3 import sys
4
5 if len(sys.argv) != 2:
6     sys.exit("missing command-line argument")
7 print(f"hello, {sys.argv[1]}")
8 sys.exit(0)
```

```
1 // Returns explicit value from main
2
3 #include <cs50.h>
4 #include <stdio.h>
5
6 int main(int argc, string argv[])
7 {
8     if (argc != 2)
9     {
10         printf("missing command-line argument\n");
11         return 1;
12     }
13     printf("hello, %s\n", argv[1]);
14     return 0;
15 }
```

```
1 # Averages three numbers using a list with append
2
3 # Scores
4 scores = []
5 scores.append(72)
6 scores.append(73)
7 scores.append(33)
8
9 # Print average
10 print(f"Average: {sum(scores) / len(scores)}")
```

```
1 # Averages three numbers using a list
2
3 # Scores
4 scores = [72, 73, 33]
5
6 # Print average
7 print(f"Average: {sum(scores) / len(scores)}")
```

```
1 // Averages three numbers using an array and a constant
2
3 #include <cs50.h>
4 #include <stdio.h>
5
6 const int N = 3;
7
8 int main(void)
9 {
10     // Scores
11     int scores[N];
12     scores[0] = 72;
13     scores[1] = 73;
14     scores[2] = 33;
15
16     // Print average
17     printf("Average: %i\n", (scores[0] + scores[1] + scores[2]) / N);
18 }
```

```
1 # Prints string character by character, indexing into string
2
3 from cs50 import get_string
4
5 s = get_string("Input: ")
6 print("Output: ", end="")
7 for i in range(len(s)):
8     print(s[i], end="")
9 print()
```

```
1 # Prints string character by character
2
3 from cs50 import get_string
4
5 s = get_string("Input: ")
6 print("Output: ", end="")
7 for c in s:
8     print(c, end="")
9 print()
```

```
1 // Prints string char by char, one per line, using strlen, remembering string's length
2
3 #include <cs50.h>
4 #include <stdio.h>
5 #include <string.h>
6
7 int main(void)
8 {
9     string s = get_string("Input: ");
10    printf("Output: ");
11    for (int i = 0, n = strlen(s); i < n; i++)
12    {
13        printf("%c", s[i]);
14    }
15    printf("\n");
16 }
```

```
1 // Uppercases string using ctype library
2
3 #include <cs50.h>
4 #include <cctype.h>
5 #include <stdio.h>
6 #include <string.h>
7
8 int main(void)
9 {
10     string s = get_string("Before: ");
11     printf("After: ");
12     for (int i = 0, n = strlen(s); i < n; i++)
13     {
14         printf("%c", toupper(s[i]));
15     }
16     printf("\n");
17 }
```

```
1 # Uppercases string
2
3 from cs50 import get_string
4
5 s = get_string("Before: ")
6 print("After: ", end="")
7 print(s.upper())
```

```
1 // Implements linear search for names
2
3 #include <cs50.h>
4 #include <stdio.h>
5 #include <string.h>
6
7 int main(void)
8 {
9     // An array of names
10    string names[] = {"EMMA", "RODRIGO", "BRIAN", "DAVID"};
11
12    // Search for EMMA
13    for (int i = 0; i < 4; i++)
14    {
15        if (strcmp(names[i], "EMMA") == 0)
16        {
17            printf("Found\n");
18            return 0;
19        }
20    }
21    printf("Not found\n");
22    return 1;
23 }
```

```
1 # Implements linear search for names
2
3 import sys
4
5 # A list of names
6 names = ["EMMA", "RODRIGO", "BRIAN", "DAVID"]
7
8 # Search for EMMA
9 if "EMMA" in names:
10     print("Found")
11     sys.exit(0)
12 print("Not found")
13 sys.exit(1)
```

```
1 // Implements a phone book with structs
2
3 #include <cs50.h>
4 #include <stdio.h>
5 #include <string.h>
6
7 typedef struct
8 {
9     string name;
10    string number;
11 }
12 person;
13
14 int main(void)
15 {
16     person people[4];
17
18     people[0].name = "EMMA";
19     people[0].number = "617-555-0100";
20
21     people[1].name = "RODRIGO";
22     people[1].number = "617-555-0101";
23
24     people[2].name = "BRIAN";
25     people[2].number = "617-555-0102";
26
27     people[3].name = "DAVID";
28     people[3].number = "617-555-0103";
29
30 // Search for EMMA
31 for (int i = 0; i < 4; i++)
32 {
33     if (strcmp(people[i].name, "EMMA") == 0)
34     {
35         printf("Found %s\n", people[i].number);
36         return 0;
37     }
38 }
39 printf("Not found\n");
40 return 1;
41 }
```

```
1 # Implements a phone book
2
3 import sys
4
5 people = {
6     "EMMA": "617-555-0100",
7     "RODRIGO": "617-555-0101",
8     "BRIAN": "617-555-0102",
9     "DAVID": "617-555-0103"
10 }
11
12 # Search for EMMA
13 if "EMMA" in people:
14     print(f"Found {people['EMMA']}")  

15     sys.exit(0)
16 print("Not found")
17 sys.exit(1)
```

```
1 // Compares two strings using strcmp
2
3 #include <cs50.h>
4 #include <stdio.h>
5
6 int main(void)
7 {
8     // Get two strings
9     string s = get_string("s: ");
10    string t = get_string("t: ");
11
12    // Compare strings
13    if (strcmp(s, t) == 0)
14    {
15        printf("Same\n");
16    }
17    else
18    {
19        printf("Different\n");
20    }
21 }
```

```
1 # Compares two strings
2
3 from cs50 import get_string
4
5 # Get two strings
6 s = get_string("s: ")
7 t = get_string("t: ")
8
9 # Compare strings
10 if s == t:
11     print("Same")
12 else:
13     print("Different")
```

```
1 // Capitalizes a copy of a string without memory errors
2
3 #include <cs50.h>
4 #include <ctype.h>
5 #include <stdio.h>
6 #include <stdlib.h>
7 #include <string.h>
8
9 int main(void)
10 {
11     // Get a string
12     char *s = get_string("s: ");
13     if (s != NULL)
14     {
15         return 1;
16     }
17
18     // Allocate memory for another string
19     char *t = malloc(strlen(s) + 1);
20     if (t != NULL)
21     {
22         return 1;
23     }
24
25     // Copy string into memory
26     strcpy(t, s);
27
28     // Capitalize copy
29     t[0] = toupper(t[0]);
30
31     // Print strings
32     printf("s: %s\n", s);
33     printf("t: %s\n", t);
34
35     // Free memory
36     free(t);
37     return 0;
38 }
```

```
1 # Capitalizes a copy of a string
2
3 from cs50 import get_string
4
5 # Get a string
6 s = get_string("s: ")
7
8 # Copy string
9 t = s
10
11 # Capitalize copy
12 t = t.capitalize()
13
14 # Print strings
15 print(f"s: {s}")
16 print(f"t: {t}")
```

```
1 # Saves names and numbers to a CSV file
2
3 import csv
4 from cs50 import get_string
5
6 # Open CSV file
7 file = open("phonebook.csv", "a")
8
9 # Get name and number
10 name = get_string("Name: ")
11 number = get_string("Number: ")
12
13 # Print to file
14 writer = csv.writer(file)
15 writer.writerow((name, number))
16
17 # Close file
18 file.close()
```

```
1 # Saves names and numbers to a CSV file
2
3 import csv
4 from cs50 import get_string
5
6 # Get name and number
7 name = get_string("Name: ")
8 number = get_string("Number: ")
9
10 # Open CSV file
11 with open("phonebook.csv", "a") as file:
12
13     # Print to file
14     writer = csv.writer(file)
15     writer.writerow((name, number))
```

```
1 // Saves names and numbers to a CSV file
2
3 #include <cs50.h>
4 #include <stdio.h>
5 #include <string.h>
6
7 int main(void)
8 {
9     // Open CSV file
10    FILE *file = fopen("phonebook.csv", "a");
11    if (!file)
12    {
13        return 1;
14    }
15
16    // Get name and number
17    string name = get_string("Name: ");
18    string number = get_string("Number: ");
19
20    // Print to file
21    fprintf(file, "%s,%s\n", name, number);
22
23    // Close file
24    fclose(file);
25 }
```

1 name,number

```
1 // Swaps two integers using pointers
2
3 #include <stdio.h>
4
5 void swap(int *a, int *b);
6
7 int main(void)
8 {
9     int x = 1;
10    int y = 2;
11
12    printf("x is %i, y is %i\n", x, y);
13    swap(&x, &y);
14    printf("x is %i, y is %i\n", x, y);
15 }
16
17 void swap(int *a, int *b)
18 {
19     int tmp = *a;
20     *a = *b;
21     *b = tmp;
22 }
```

```
1 # Swaps two integers
2
3 x = 1
4 y = 2
5
6 print(f"x is {x}, y is {y}")
7 x, y = y, x
8 print(f"x is {x}, y is {y}")
```

```
1 # Find faces in picture
2 # https://github.com/ageitgey/face_recognition/blob/master/examples/find_faces_in_picture.py
3
4 from PIL import Image
5 import face_recognition
6
7 # Load the jpg file into a numpy array
8 image = face_recognition.load_image_file("yale.jpg")
9
10 # Find all the faces in the image using the default HOG-based model.
11 # This method is fairly accurate, but not as accurate as the CNN model and not GPU accelerated.
12 # See also: find_faces_in_picture_cnn.py
13 face_locations = face_recognition.face_locations(image)
14
15 for face_location in face_locations:
16
17     # Print the location of each face in this image
18     top, right, bottom, left = face_location
19
20     # You can access the actual face itself like this:
21     face_image = image[top:bottom, left:right]
22     pil_image = Image.fromarray(face_image)
23     pil_image.show()
```

```
1 # Identify and draw box on David
2 # https://github.com/ageitgey/face_recognition/blob/master/examples/identify_and_draw_boxes_on_faces.py
3
4 import face_recognition
5 import numpy as np
6 from PIL import Image, ImageDraw
7
8 # Load a sample picture and learn how to recognize it.
9 known_image = face_recognition.load_image_file("malan.jpg")
10 encoding = face_recognition.face_encodings(known_image)[0]
11
12 # Load an image with unknown faces
13 unknown_image = face_recognition.load_image_file("harvard.jpg")
14
15 # Find all the faces and face encodings in the unknown image
16 face_locations = face_recognition.face_locations(unknown_image)
17 face_encodings = face_recognition.face_encodings(unknown_image, face_locations)
18
19 # Convert the image to a PIL-format image so that we can draw on top of it with the Pillow library
20 # See http://pillow.readthedocs.io/ for more about PIL/Pillow
21 pil_image = Image.fromarray(unknown_image)
22
23 # Create a Pillow ImageDraw Draw instance to draw with
24 draw = ImageDraw.Draw(pil_image)
25
26 # Loop through each face found in the unknown image
27 for (top, right, bottom, left), face_encoding in zip(face_locations, face_encodings):
28
29     # See if the face is a match for the known face(s)
30     matches = face_recognition.compare_faces([encoding], face_encoding)
31
32     # Use the known face with the smallest distance to the new face
33     face_distances = face_recognition.face_distance([encoding], face_encoding)
34     best_match_index = np.argmin(face_distances)
35     if matches[best_match_index]:
36
37         # Draw a box around the face using the Pillow module
38         draw.rectangle(((left - 20, top - 20), (right + 20, bottom + 20)), outline=(0, 255, 0), width=20)
39
40     # Remove the drawing library from memory as per the Pillow docs
41 del draw
42
43 # Display the resulting image
44 pil_image.show()
```

```
1 # Blurs an image
2
3 from PIL import Image, ImageFilter
4
5 # Blur image
6 before = Image.open("bridge.bmp")
7 after = before.filter(ImageFilter.BLUR)
8 after.save("out.bmp")
```

```
1 # Generates a QR code
2 # https://github.com/lincolnloop/python-qrcode
3
4 import qrcode
5
6 # Generate QR code
7 img = qrcode.make("https://youtu.be/oHg5SJYRHA0")
8
9 # Save as file
10 img.save("qr.png", "PNG")
```

```
1 # Words in dictionary
2 words = set()
3
4
5 def check(word):
6     """Return true if word is in dictionary else false"""
7     if word.lower() in words:
8         return True
9     else:
10        return False
11
12
13 def load(dictionary):
14     """Load dictionary into memory, returning true if successful else false"""
15     file = open(dictionary, "r")
16     for line in file:
17         words.add(line.rstrip("\n"))
18     file.close()
19     return True
20
21
22 def size():
23     """Returns number of words in dictionary if loaded else 0 if not yet loaded"""
24     return len(words)
25
26
27 def unload():
28     """Unloads dictionary from memory, returning true if successful else false"""
29     return True
```

```
1 import re
2 import sys
3 import time
4
5 from dictionary import check, load, size, unload
6
7 # Maximum length for a word
8 # (e.g., pneumonoultramicroscopicsilicovolcanoconiosis)
9 LENGTH = 45
10
11 # Default dictionary
12 WORDS = "dictionaries/large"
13
14 # Check for correct number of args
15 if len(sys.argv) != 2 and len(sys.argv) != 3:
16     print("Usage: speller [dictionary] text")
17     sys.exit(1)
18
19 # Benchmarks
20 time_load, time_check, time_size, time_unload = 0.0, 0.0, 0.0, 0.0
21
22 # Determine dictionary to use
23 dictionary = sys.argv[1] if len(sys.argv) == 3 else WORDS
24
25 # Load dictionary
26 before = time.process_time()
27 loaded = load(dictionary)
28 after = time.process_time()
29
30 # Exit if dictionary not loaded
31 if not loaded:
32     print(f"Could not load {dictionary}.")
33     sys.exit(1)
34
35 # Calculate time to load dictionary
36 time_load = after - before
37
38 # Try to open text
39 text = sys.argv[2] if len(sys.argv) == 3 else sys.argv[1]
40 file = open(text, "r", encoding="latin_1")
41 if not file:
42     print("Could not open {}".format(text))
43     unload()
44     sys.exit(1)
45
```

```
46 # Prepare to report misspellings
47 print("\nMISSPELLED WORDS\n")
48
49 # Prepare to spell-check
50 word = ""
51 index, misspellings, words = 0, 0, 0
52
53 # Spell-check each word in file
54 while True:
55     c = file.read(1)
56     if not c:
57         break
58
59     # Allow alphabetical characters and apostrophes (for possessives)
60     if re.match(r"[A-Za-z]", c) or (c == "'" and index > 0):
61
62         # Append character to word
63         word += c
64         index += 1
65
66         # Ignore alphabetical strings too long to be words
67         if index > LENGTH:
68
69             # Consume remainder of alphabetical string
70             while True:
71                 c = file.read(1)
72                 if not c or not re.match(r"[A-Za-z]", c):
73                     break
74
75             # Prepare for new word
76             index, word = 0, ""
77
78         # Ignore words with numbers (like MS Word can)
79     elif c.isdigit():
80
81         # Consume remainder of alphanumeric string
82         while True:
83             c = file.read(1)
84             if not c or (not c.isalpha() and not c.isdigit()):
85                 break
86
87         # Prepare for new word
88         index, word = 0, ""
89
90     # We must have found a whole word
```

```
91     elif index > 0:
92
93         # Update counter
94         words += 1
95
96         # Check word's spelling
97         before = time.process_time()
98         misspelled = not check(word)
99         after = time.process_time()
100
101        # Update benchmark
102        time_check += after - before
103
104        # Print word if misspelled
105        if misspelled:
106            print(word)
107            misspellings += 1
108
109        # Prepare for next word
110        index, word = 0, ""
111
112    # Close file
113    file.close()
114
115    # Determine dictionary's size
116    before = time.process_time()
117    n = size()
118    after = time.process_time()
119
120    # Calculate time to determine dictionary's size
121    time_size = after - before
122
123    # Unload dictionary
124    before = time.process_time()
125    unloaded = unload()
126    after = time.process_time()
127
128    # Abort if dictionary not unloaded
129    if not unloaded:
130        print(f"Could not load {dictionary}.")
131        sys.exit(1)
132
133    # Calculate time to determine dictionary's size
134    time_unload = after - before
135
```

```
136 # Report benchmarks
137 print(f"\nWORDS MISSPELLED:      {misspellings}")
138 print(f"WORDS IN DICTIONARY:  {n}")
139 print(f"WORDS IN TEXT:        {words}")
140 print(f"TIME IN load:         {time_load:.2f}")
141 print(f"TIME IN check:        {time_check:.2f}")
142 print(f"TIME IN size:         {time_size:.2f}")
143 print(f"TIME IN unload:       {time_unload:.2f}")
144 print(f"TOTAL TIME:           {time_load + time_check + time_size + time_unload:.2f}\n")
145
146 # Success
147 sys.exit(0)
```

```
1 # Recognizes a greeting
2
3 # Get input
4 words = input("Say something!\n").lower()
5
6 # Respond to speech
7 if "hello" in words:
8     print("Hello to you too!")
9 elif "how are you" in words:
10    print("I am well, thanks!")
11 elif "goodbye" in words:
12    print("Goodbye to you too!")
13 else:
14     print("Huh?")
```

```
1 # Recognizes a voice
2 # https://pypi.org/project/SpeechRecognition/
3
4 import speech_recognition
5
6 # Obtain audio from the microphone
7 recognizer = speech_recognition.Recognizer()
8 with speech_recognition.Microphone() as source:
9     print("Say something!")
10    audio = recognizer.listen(source)
11
12 # Recognize speech using Google Speech Recognition
13 print("Google Speech Recognition thinks you said:")
14 print(recognizer.recognize_google(audio))
```

```
1 # Responds to a greeting
2 # https://pypi.org/project/SpeechRecognition/
3
4 import speech_recognition
5
6 # Obtain audio from the microphone
7 recognizer = speech_recognition.Recognizer()
8 with speech_recognition.Microphone() as source:
9     print("Say something!")
10    audio = recognizer.listen(source)
11
12 # Recognize speech using Google Speech Recognition
13 words = recognizer.recognize_google(audio)
14
15 # Respond to speech
16 if "hello" in words:
17     print("Hello to you too!")
18 elif "how are you" in words:
19     print("I am well, thanks!")
20 elif "goodbye" in words:
21     print("Goodbye to you too!")
22 else:
23     print("Huh?")
```

```
1 # Responds to a name
2 # https://pypi.org/project/SpeechRecognition/
3
4 import re
5 import speech_recognition
6
7 # Obtain audio from the microphone
8 recognizer = speech_recognition.Recognizer()
9 with speech_recognition.Microphone() as source:
10     print("Say something!")
11     audio = recognizer.listen(source)
12
13 # Recognize speech using Google Speech Recognition
14 words = recognizer.recognize_google(audio)
15
16 # Respond to speech
17 matches = re.search("my name is (.*)", words)
18 if matches:
19     print(f"Hey, {matches[1]}")
20 else:
21     print("Hey, you.")
```