

# CS50 for JDs

[cs50.harvard.edu/hls](https://cs50.harvard.edu/hls)

Hello! Sign up for [scratch.mit.edu/join](https://scratch.mit.edu/join).  
Then submit [cs50.ly/lecture0](https://cs50.ly/lecture0).

# CS50 for JDs

[cs50.harvard.edu/hls](https://cs50.harvard.edu/hls)

# Lectures

- Computational Thinking
- Python
- Algorithms, Data Structures
- SQL
- Internet Technologies, Cloud Computing
- Web Development
- Privacy, Security
- Artificial Intelligence, ...

# Labs

- Python
- SQL
- HTML, CSS, JavaScript

# Seminars

- Cryptocurrency: Technicals and Ethics
- Data Visualization, for Good and for Evil
- Git: The Power of Version Control
- The Net Neutrality Pendulum Is Swinging Once Again
- ...

# Office Hours

[cs50.harvard.edu/hls/2022/winter/hours](https://cs50.harvard.edu/hls/2022/winter/hours)

# Teaching Staff

- Carter Zenke
- Valerie Coffee
  
- Angelika Antsmae
- Sophia Cho
- Catherine Deskur
- Angel Mata
- Patrick Thornton
- Ashley Zhuang

# Norms

- Participate from a quiet space where can you listen and speak...
- Be sure to participate with your camera turned on...

<https://cs50.harvard.edu/hls/2022/winter/zoom/>



# CS50 for JDs


[cs50.harvard.edu/hls](https://cs50.harvard.edu/hls)





# Computational Thinking

input →



→ output

representation



decimal



base-10

0 1 2 3 4 5 6 7 8 9

0 1

base-2

binary

0 1

bits







0



**1**





























0 1

0 1 2 3 4 5 6 7 8 9

123

1

123

10 1

**123**

100 10 1

**123**

100 10 1

**123**

100 × 1

100 10 1

**123**

$100 \times 1 + 10 \times 2$



100 10 1

**123**

$100 \times 1 + 10 \times 2 + 1 \times 3$

100 10 1

**123**

100 + 20 + 3

123

100 10 1

**# # #**

$10^2$     $10^1$     $10^0$

**# # #**

$2^2$     $2^1$     $2^0$

**# # #**

4 2 1

**# # #**

4 2 1

000



4 2 1

**001**

4 2 1

010

4 2 1

**011**

4 2 1

100

4 2 1

**101**

4 2 1

**110**

4 2 1

**1 1 1**

**A**



65

0100001

ASCII

... A B C D E F G H I ...

... 65 66 67 68 69 70 71 72 73 ...

72

73

33

H

72

I

73

33

0	<u>NUL</u>	16	<u>DLE</u>	32	<u>SP</u>	48	0	64	@	80	P	96	`	112	p
1	<u>SOH</u>	17	<u>DC1</u>	33	!	49	1	65	A	81	Q	97	a	113	q
2	<u>STX</u>	18	<u>DC2</u>	34	"	50	2	66	B	82	R	98	b	114	r
3	<u>ETX</u>	19	<u>DC3</u>	35	#	51	3	67	C	83	S	99	c	115	s
4	<u>EOT</u>	20	<u>DC4</u>	36	\$	52	4	68	D	84	T	100	d	116	t
5	<u>ENQ</u>	21	<u>NAK</u>	37	%	53	5	69	E	85	U	101	e	117	u
6	<u>ACK</u>	22	<u>SYN</u>	38	&	54	6	70	F	86	V	102	f	118	v
7	<u>BEL</u>	23	<u>ETB</u>	39	'	55	7	71	G	87	W	103	g	119	w
8	<u>BS</u>	24	<u>CAN</u>	40	(	56	8	72	H	88	X	104	h	120	x
9	<u>HT</u>	25	<u>EM</u>	41	)	57	9	73	I	89	Y	105	i	121	y
10	<u>LF</u>	26	<u>SUB</u>	42	*	58	:	74	J	90	Z	106	j	122	z
11	<u>VT</u>	27	<u>ESC</u>	43	+	59	;	75	K	91	[	107	k	123	{
12	<u>FF</u>	28	<u>FS</u>	44	,	60	<	76	L	92	\	108	l	124	
13	<u>CR</u>	29	<u>GS</u>	45	-	61	=	77	M	93	]	109	m	125	}
14	<u>SO</u>	30	<u>RS</u>	46	.	62	>	78	N	94	^	110	n	126	~
15	<u>SI</u>	31	<u>US</u>	47	/	63	?	79	O	95	_	111	o	127	<u>DEL</u>

H  
72

I  
73

!  
33



H

01001000

I


01001001

!

00100001

bytes

~ ,	! 1	@ 2	# 3	\$ 4	% 5	^ 6	& 7	* 8	( 9	) 0	- _	+ =	← Backspace
Tab ↔	Q	W	E	R	T	Y	U	I	O	P	{ [	} ]	 \ _
Caps Lock ↑	A	S	D	F	G	H	J	K	L	: ;	" '	Enter ↵	
Shift ↑	Z	X	C	V	B	N	M	< ,	> .	? /	Shift ↑		
Ctrl	Win Key	Alt						Alt	Win Key	Menu	Ctrl		





Search

### FAVORITES



### SMILEYS & PEOPLE



Unicode




128514



000000111101100000010



RGB



72 73 33

72	73	33
----	----	----











face-with-medical-mask\_1f637.png












input →



→ output



algorithms





9:00



Groups



# Contacts

Q Search

A

Albus

C

Cedric

D

Draco

F

Fred

G

George

Ginny

H

Hagrid


Harry

Hermione

J

James

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y  
Z  
#




A blank coordinate system with a vertical y-axis and a horizontal x-axis. The y-axis is labeled 'time to solve' and the x-axis is labeled 'size of problem'. The axes are represented by thin white lines on a black background.

time to solve

size of problem

time to solve



size of problem

time to solve



$n$

$n/2$

size of problem

time to solve



$n$

$n/2$

size of problem

time to solve




$n$

$n/2$


size of problem

time to solve



size of problem

time to solve




$n$

$n/2$

size of problem





pseudocode

```
1 Pick up phone book
2 Open to middle of phone book
3 Look at page
4 If person is on page
5     Call person
6 Else if person is earlier in book
7     Open to middle of left half of book
8     Go back to line 3
9 Else if person is later in book
10    Open to middle of right half of book
11    Go back to line 3
12 Else
13    Quit
```

```
1 Pick up phone book
2 Open to middle of phone book
3 Look at page
4 If person is on page
5     Call person
6 Else if person is earlier in book
7     Open to middle of left half of book
8     Go back to line 3
9 Else if person is later in book
10    Open to middle of right half of book
11    Go back to line 3
12 Else
13    Quit
```


```
1 Pick up phone book
2 Open to middle of phone book
3 Look at page
4 If person is on page
5     Call person
6 Else if person is earlier in book
7     Open to middle of left half of book
8     Go back to line 3
9 Else if person is later in book
10    Open to middle of right half of book
11    Go back to line 3
12 Else
13    Quit
```

```
1 Pick up phone book
2 Open to middle of phone book
3 Look at page
4 If person is on page
5     Call person
6 Else if person is earlier in book
7     Open to middle of left half of book
8     Go back to line 3
9 Else if person is later in book
10    Open to middle of right half of book
11    Go back to line 3
12 Else
13    Quit
```

```
1 Pick up phone book
2 Open to middle of phone book
3 Look at page
4 If person is on page
5     Call person
6 Else if person is earlier in book
7     Open to middle of left half of book
8     Go back to line 3
9 Else if person is later in book
10    Open to middle of right half of book
11    Go back to line 3
12 Else
13    Quit
```

- functions
  - arguments, return values
- conditionals
- Boolean expressions
- loops
- variables
- ...






when  clicked

say 


Code Costumes Sounds



- Motion
- Looks
- Sound
- Events
- Control
- Sensing
- Operators
- Variables
- My Blocks

**Motion**

- move 10 steps
- turn 15 degrees
- turn 15 degrees
- go to random position
- go to x: 0 y: 0
- glide 1 secs to random position
- glide 1 secs to x: 0 y: 0
- point in direction 90
- point towards mouse-pointer
- change x by 10
- set x to 0
- change y by 10
- set y to 0
- if on edge, bounce



Sprite: Sprite1

x: 0 y: 0

Show:

Size: 100 Direction: 90

Stage

Backdrops: 1

Sprite1

Scratch logo


Stage icon

Code Costumes Sounds

- Motion
- Looks
- Sound
- Events
- Control
- Sensing
- Operators
- Variables
- My Blocks

**Motion**

- move 10 steps
- turn 15 degrees
- turn 15 degrees
- go to random position
- go to x: 0 y: 0
- glide 1 secs to random position
- glide 1 secs to x: 0 y: 0
- point in direction 90
- point towards mouse-pointer
- change x by 10
- set x to 0
- change y by 10
- set y to 0
- if on edge, bounce



Sprite: Sprite1

x: 0 y: 0

Show:

Size: 100 Direction: 90

Sprite1

Backdrops: 1

Code Costumes Sounds

Motion

Motion

Looks

Sound

Events

Control

Sensing

Operators

Variables

My Blocks

move 10 steps

turn 15 degrees

turn 15 degrees

go to random position

go to x: 0 y: 0

glide 1 secs to random position

glide 1 secs to x: 0 y: 0

point in direction 90

point towards mouse-pointer



change x by 10

set x to 0

change y by 10

set y to 0

if on edge, bounce




Sprite Sprite1

x 0 y 0

Show [on] [off]

Size 100 Direction 90



Stage Backdrops 1





Code Costumes Sounds

- Motion
- Looks
- Sound
- Events
- Control
- Sensing
- Operators
- Variables
- My Blocks

**Motion**

- move 10 steps
- turn 15 degrees
- turn 15 degrees
- go to random position
- go to x: 0 y: 0
- glide 1 secs to random position
- glide 1 secs to x: 0 y: 0
- point in direction 90
- point towards mouse-pointer
- change x by 10
- set x to 0
- change y by 10
- set y to 0
- if on edge, bounce



Sprite Sprite1

x: 0 y: 0

Show [on] [off]

Size 100 Direction 90

Backdrops 1


Sprite1

Code Costumes Sounds

- Motion
- Looks
- Sound
- Events
- Control
- Sensing
- Operators
- Variables
- My Blocks

**Motion**

- move 10 steps
- turn 15 degrees
- turn 15 degrees
- go to random position
- go to x: 0 y: 0
- glide 1 secs to random position
- glide 1 secs to x: 0 y: 0
- point in direction 90
- point towards mouse-pointer
- change x by 10
- set x to 0
- change y by 10
- set y to 0
- if on edge, bounce



Sprite: Sprite1

x: 0 y: 0


Show:

Size: 100 Direction: 90

Stage

Backdrops: 1

Sprite1




A purple Scratch 'say' block with a white oval containing the text 'hello, world'. The block has a notch on the left side for interlocking with other blocks.

say

hello, world




input →



→ output

hello, world





output

hello, world



output

hello, world




hello, world

ask

What's your name?


and wait

input →




→ output

What's your name?



output


What's your name?



→ output



What's your name?



answer

A Scratch 'say' block, which is purple with a notch on the left and a bump on the right. It contains a green 'join' field with a white 'hello,' field and a blue 'answer' field.


say

join

hello,

answer


input →



→ output

hello,


answer



output

hello,


answer



output

hello,

answer



hello, David



hello, David




hello, David







hello, David



say



hello, David



hello, David





# Assignment 0

# Office Hours

# CS50 for JDs

Computational Thinking